

**Calibration** 

## MET/CAL® Plus

Calibration Management Software Version 7.3

## **Technical Data**

MET CAL

Support for the new modern Windows® platforms, latest version of Crystal Reports, broader instrument support, and more

In this latest release of Fluke MET/CAL Plus Calibration Management Software, the Sybase SQL Anywhere database has been upgraded to version 11, enabling MET/CAL calibration software to support the Microsoft Windows® Vista operating system, Windows 7 operating system and Windows Server 2008, including the 64-bit variants.

## **Additional new features:**

- Broader instrument support
- Crystal Reports 2008
- Improvements to MET/TRACK® Asset Management Software
- ...and more

## Get more information about MET/CAL® *Plus* software

This data sheet is presented as a companion to the MET/CAL *Plus* Version 7.1 data sheet (literature code 1627836) and the MET/CAL 7.2 data sheet (literature code 2746613). It includes information about features in new version 7.3. For complete MET/CAL *Plus* software information, please refer to the version 7.1 data sheet. You can also find complete product information on **www.fluke.com/metcal**.

## FLUKE. FLUKE Metrology Software Installer SERVER MET/BASE Electrical CLIENT RF MET/CAL MET/TRACK Temperature UTILITIES Pressure Crystal Reports 2008 SP3 Runtime .NET Framework 3.5 SP1 Flow Software **EXIT** 3 1995-2010 All contents are the property of Fluke Calibratio

### **Broader instrument support**



MET/CAL Plus 7.3 adds support for the Fluke 6105A/6100B Electrical Power Standards, the 5080A Multi-Product Calibrator, and more.



Calibration


Version 7.3 allows MET/CAL Plus to address an expanded workload that includes the newest Fluke products. New Function Select Codes (FSCs) are now available to support these instruments:

- Fluke 6105A Electrical Power Standard
- Fluke 6100B Electrical Power Standard
- Fluke 6100A/6100B/6105A
   Energy Counting Option
- Fluke 5080A Multi-Product Calibrator
- Clarke-Hess 8100 Transconductance Amplifier
- Agilent Economy Spectrum Analyzer (ESA) Series

### **Crystal Reports 2008**

Crystal Reports, the reporting tool supplied with MET/CAL *Plus* software, has been upgraded to the newest version. Crystal Reports 2008 is a powerful reporting tool that helps you design and deliver reports via the Internet or embedded in enterprise applications. Benefits include:

- Improved report designer that enables you to create professional-looking interactive reports that integrate Flash, cross-tabs, customized pages sizes, and more
- Built-in barcode support lets you create barcodes easily no coding required
- Faster runtime access saves time
- Multilingual reporting
- · ...and much more




Test procedure that accesses the Fluke 5080A FSC.


## MET/TRACK® Asset Management Software improvements

MET/TRACK is a powerful calibration asset management system for test and measurement that provides asset management for MET/CAL *Plus* software.
MET/CAL *Plus* Version 7.3 includes several improvements to the MET/TRACK application, including:

- Support for Windows XP, Vista, 7, 2003 and 2008, including 32-bit and 64-bit platforms
- Updated, simplified installer: when you want to upgrade, your IT organization can now do MSI installations on client workstations. As a user, you get more flexibility and control on data locations.



MET/TRACK Inventory Editor.



MET/TRACK import tool.

- A new import tool that makes it easier than ever to import data into MET/TRACK software
- Users can now open and make changes to multiple forms at the same time allowing the user to save changes to each form.
- Search large databases faster. MET/TRACK limits search results to 500 records at a time when browsing for assets from the main toolbar.
- New, improved online help that enables you to view help files from within MET/TRACK
- More flexible linked validation
- Automatic updates to "Instrument Browser..." window following record changes
- Improved login performance on large remote databases faster initial load times and visual feedback via progress bar

## Other MET/CAL Plus v7.3 enhancements

- DISP FSC truncates messages instead of generating an error when a procedure is running. If the maximum 56-character line length is exceeded, the line is truncated to 56 characters and "..." is appended to indicate that there are more characters that are not displayed.
- Run long single procedures with more than 999 tests
- IFILE MATH FSC function returns the DOS 8.3 path format, to support paths with spaces and the existing utility executables, making it easier to run legacy applications.
- Access an accuracy file for a system instrument configured as an auxiliary device separately from the accuracy file of the primary device.
- Improved database read/ write access time from MET/CAL Runtime
- Support for 57600, 230400, 256000 RS 232 baud rates
- Installation supports the Windows Standard directory structure.
- PIC and PICE FSC statements support beeping if beeping is turned on.

## Get MET/CAL V7.3 and more at no cost: become a member of MET/SUPPORT Gold

MET/SUPPORT Gold is an annual membership program offering premium support and services to help you stay as productive as possible.

MET/SUPPORT Gold services include:

- Priority access to the technical support team
- Free software updates and upgrades
- 20 % discount on calibration software training
- Free access to the Warranted Procedures library
- 20 % discount on custom procedure development
- Database repair services
- Lost password recovery
- Bi-monthly FAQs web seminars

Use only a few of the Gold services and you can easily recover more than the cost of your membership fee in just a few months.



#### Calibration

## **Ordering information**

#### Models

**MET/BASE-7** Calibration Software Database System. One or more MET/CAL, 5500/CAL and/or MET/TRACK license disks required for use.

**MET/CAL-L** License disk for MET/CAL. Includes capabilities of 5500/CAL and MET/TRACK. MET/BASE 7 or earlier version required.

**5500/CAL-L** License disk for 5500/CAL. Includes capabilities of MET/TRACK. MET/BASE 7 or earlier version required.

**MET/TRACK-L** License disk for MET/TRACK metrology property management software. MET/BASE 7 or earlier version required.

**MET/BASE-7U** MET/BASE Upgrade. Upgrades MET/BASE from version 6.0 or later to current version. Upgrade licenses are also required.

**MET/CAL-LU** License disk upgrade. MET/BASE 7 and serial number for prior version (6 or newer) of MET/CAL required.

**5500/CAL-LU** License disk upgrade. MET/BASE 7 and serial number for prior version (6 or newer) of 5500/CAL required.

**MET/TRACK-LU** License disk upgrade. MET/BASE 7 and serial number for prior version (6 or newer) of MET/TRACK required.

## Additional products from the Fluke Calibration Software suite

**COMPASS® for Pressure** Pressure Calibration Management Software

**MET/TEMP II** Temperature Calibration Software **Manual MET/CAL®** Calibration Management Software

**COMPASS® for Flow** Flow Calibration Management Software

### **Scheduled training**

Various courses available

### MET/SUPPORT<sup>SM</sup> GOLD

Priority support agreement for one workstation. For additional workstations contact your local Fluke Calibration sales representative.

# Total solutions in calibration

Fluke Calibration provides the broadest range of calibrators and standards, software, service, support and training in electrical, temperature, pressure, RF and flow calibration.

Visit **www.fluke.com/FlukeCal** for more information about Fluke Calibration solutions.

## Fluke Calibration. Precision, performance, confidence.™

Г							1
	Electrical	RF	Temperature	Pressure	Flow	Software	

Fluke Calibration PO Box 9090.

Everett, WA 98206 U.S.A.

Fluke Europe B.V. PO Box 1186, 5602 BD Eindhoven, The Netherlands

#### For more information call:

In the U.S.A. (800) 443–5853 or Fax (425) 446–5116 In Europe/M–East/Africa +31 (0) 40 2675 200 or Fax +31 (0) 40 2675 222 In Canada (800)–36–FLUKE or Fax (905) 890–6866 From other countries +1 (425) 446–5500 or Fax +1 (425) 446–5116 Web access: http://www.fluke.com

©2011 Fluke Corporation. Specifications subject to change without notice. MET/CAL, MET/TRACK and COMPASS are registered trademarks of Fluke Corporation. Windows is a registered trademark of Microsoft Corporation. Printed in U.S.A. 1/2011 3808820B D-EN-N

Modification of this document is not permitted without written permission from Fluke Corporation.

Pub-ID: 11666-eng